



Peachtree Doors and Windows is a manufacturer of exterior windows, patio doors and entrance doors. This Manufacturer's Certification Statement serves as verification that the Peachtree door and window products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

**300 Series Vinyl Clad Products**

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Prem. Double Hung	none	3/4"	Insul Low-e w/ Argon	0.29	0.26	Y
Prem. Double Hung	none	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.30	Y
Prem. Double Hung	none	3/4"	Insul Low-e 240 w/ Argon	0.29	0.18	Y
Prem. Double Hung	none	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Prem. Double Hung	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.20	Y
Prem. Double Hung	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.26	Y
Prem. Double Hung	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.30	Y
Prem. Double Hung	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.29	0.18	Y
Prem. Double Hung	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Prem. Double Hung	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.18	Y
Prem DH Picture	none	3/4"	Insul Grey Low-e	0.30	0.28	Y
Prem DH Picture	none	3/4"	Insul Grey Low-e w/ Argon	0.26	0.28	Y
Prem DH Picture	none	3/4"	Insul Low-e 240	0.30	0.28	Y
Prem DH Picture	none	3/4"	Insul Low-e 240 w/ Argon	0.27	0.20	Y
Prem DH Picture	none	3/4"	Zo-e-shield 5	0.29	0.21	Y
Prem DH Picture	none	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Prem DH Picture	none	3/4"	Zo-e-shield 6 w/ Argon	0.26	0.21	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Low-e	0.30	0.28	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.26	0.28	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Grey Low-e	0.30	0.25	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Grey Low-e w/ Argon	0.26	0.25	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Low-e 240	0.30	0.18	Y
Prem DH Picture	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.27	0.17	Y
Prem DH Picture	Std GIA/SDL	3/4"	Zo-e-shield 5	0.29	0.19	Y
Prem DH Picture	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.19	Y
Prem DH Picture	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.19	Y
Prem DH Transom	none	3/4"	Insul Bronze Low-e	0.30	0.30	Y
Prem DH Transom	none	3/4"	Insul Bronze Low-e w/ Argon	0.27	0.30	Y
Prem DH Transom	none	3/4"	Insul Low-e 240 w/ Argon	0.27	0.19	Y
Prem DH Transom	none	3/4"	Zo-e-shield 5	0.30	0.21	Y
Prem DH Transom	none	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Prem DH Transom	none	3/4"	Zo-e-shield 6 w/ Argon	0.26	0.21	Y
Prem DH Transom	Std GIA/SDL	3/4"	Insul Low-e	0.29	0.24	Y
Prem DH Transom	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.26	0.23	Y
Prem DH Transom	Std GIA/SDL	3/4"	Insul Bronze Low-e	0.29	0.22	Y
Prem DH Transom	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.26	0.20	Y
Prem DH Transom	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.27	0.17	Y
Prem DH Transom	Std GIA/SDL	3/4"	Zo-e-shield 5	0.30	0.21	Y
Prem DH Transom	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Prem DH Transom	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.19	Y



Peachtree Doors and Windows is a manufacturer of exterior windows, patio doors and entrance doors. This Manufacturer's Certification Statement serves as verification that the Peachtree door and window products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

**300 Series Vinyl Clad Products**

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Premium Direct Set	none	13/16"	Insul Low-e 240 w/ Argon	0.27	0.22	Y
Premium Direct Set	none	13/16"	Zo-e-shield 5	0.30	0.24	Y
Premium Direct Set	none	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.24	Y
Premium Direct Set	Std GIA/SDL	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.27	Y
Premium Direct Set	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.27	0.20	Y
Premium Direct Set	Std GIA/SDL	13/16"	Zo-e-shield 5	0.30	0.22	Y
Premium Direct Set	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.22	Y
Premium Direct Set	15/16" GIA	13/16"	Insul Low-e w/ Argon	0.27	0.29	Y
Premium Direct Set	15/16" GIA	13/16"	Insul Low-e 240 w/ Argon	0.27	0.18	Y
Premium Direct Set	15/16" GIA	13/16"	Zo-e-shield 5	0.30	0.20	Y
Premium Direct Set	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.20	Y
Pro-Tilt	none	5/8"	Insul Low-e w/ Argon	0.29	0.30	Y
Pro-Tilt	none	5/8"	Insul Bronze Low-e w/ Argon	0.30	0.29	Y
Pro-Tilt	none	5/8"	Insul Low-e 240 w/ Argon	0.30	0.19	Y
Pro-Tilt	none	5/8"	Zo-e-shield 5 w/ Argon	0.29	0.20	Y
Pro-Tilt	Std GIA/SDL	5/8"	Insul Low-e w/ Argon	0.30	0.27	Y
Pro-Tilt	Std GIA/SDL	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.18	Y
Slider	none	5/8"	Insul Low-e w/ Argon	0.29	0.30	Y
Slider	none	5/8"	Insul Bronze Low-e w/ Argon	0.29	0.29	Y
Slider	none	5/8"	Insul Low-e 240 w/ Argon	0.29	0.19	Y
Slider	none	5/8"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Slider	Std GIA/SDL	5/8"	Insul Low-e w/ Argon	0.30	0.27	Y
Slider	Std GIA/SDL	5/8"	Insul Bronze Low-e w/ Argon	0.30	0.26	Y
Slider	Std GIA/SDL	5/8"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Slider	Std GIA/SDL	5/8"	Zo-e-shield 5 w/ Argon	0.29	0.18	Y
Slider	15/16" GIA	5/8"	Insul Low-e w/ Argon	0.30	0.24	Y
Slider	15/16" GIA	5/8"	Insul Bronze Low-e w/ Argon	0.30	0.23	Y
Slider	15/16" GIA	5/8"	Insul Low-e 240 w/ Argon	0.30	0.15	Y
Slider	15/16" GIA	5/8"	Zo-e-shield 5 w/ Argon	0.29	0.16	Y
Direct Set	none	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.25	Y
Direct Set	none	13/16"	Zo-e-shield 6 w/ Argon	0.26	0.25	Y
Direct Set	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.23	Y
Direct Set	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.28	0.23	Y
Direct Set	15/16" GIA	13/16"	Insul Bronze Low-e w/ Argon	0.28	0.29	Y
Direct Set	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Direct Set	15/16" GIA	13/16"	Zo-e-shield 6 w/ Argon	0.28	0.21	Y



Peachtree Doors and Windows is a manufacturer of exterior windows, patio doors and entrance doors. This Manufacturer's Certification Statement serves as verification that the Peachtree door and window products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

**300 Series Vinyl Clad Products**

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Casement	none	13/16"	Insul Low-e	0.30	0.30	Y
Casement	none	13/16"	Insul Low-e w/ Argon	0.27	0.30	Y
Casement	none	13/16"	Insul Bronze Low-e	0.30	0.29	Y
Casement	none	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.29	Y
Casement	none	13/16"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Casement	none	13/16"	Zo-e-shield 5	0.30	0.20	Y
Casement	none	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.20	Y
Casement	none	13/16"	Zo-e-shield 6	0.30	0.20	Y
Casement	none	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.20	Y
Casement	Std GIA/SDL	13/16"	Insul Low-e	0.30	0.28	Y
Casement	Std GIA/SDL	13/16"	Insul Low-e w/ Argon	0.27	0.27	Y
Casement	Std GIA/SDL	13/16"	Insul Bronze Low-e	0.30	0.26	Y
Casement	Std GIA/SDL	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.26	Y
Casement	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.28	0.17	Y
Casement	Std GIA/SDL	13/16"	Zo-e-shield 5	0.30	0.19	Y
Casement	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.18	Y
Casement	Std GIA/SDL	13/16"	Zo-e-shield 6	0.30	0.19	Y
Casement	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.18	Y
Casement	15/16" GIA	13/16"	Insul Low-e	0.30	0.25	Y
Casement	15/16" GIA	13/16"	Insul Low-e w/ Argon	0.27	0.25	Y
Casement	15/16" GIA	13/16"	Insul Bronze Low-e	0.30	0.24	Y
Casement	15/16" GIA	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.24	Y
Casement	15/16" GIA	13/16"	Insul Low-e 240 w/ Argon	0.28	0.15	Y
Casement	15/16" GIA	13/16"	Zo-e-shield 5	0.30	0.17	Y
Casement	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.17	Y
Casement	15/16" GIA	13/16"	Zo-e-shield 6	0.30	0.17	Y
Casement	15/16" GIA	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.17	Y
Awning	none	13/16"	Insul Low-e w/ Argon	0.27	0.30	Y
Awning	none	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.29	Y
Awning	none	13/16"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Awning	none	13/16"	Zo-e-shield 5	0.30	0.20	Y
Awning	none	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.20	Y
Awning	none	13/16"	Zo-e-shield 6	0.30	0.20	Y
Awning	none	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.20	Y
Awning	Std GIA/SDL	13/16"	Insul Low-e w/ Argon	0.27	0.27	Y
Awning	Std GIA/SDL	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.26	Y
Awning	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.28	0.17	Y
Awning	Std GIA/SDL	13/16"	Zo-e-shield 5	0.30	0.19	Y
Awning	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.18	Y
Awning	Std GIA/SDL	13/16"	Zo-e-shield 6	0.30	0.19	Y
Awning	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.18	Y



Peachtree Doors and Windows is a manufacturer of exterior windows, patio doors and entrance doors. This Manufacturer's Certification Statement serves as verification that the Peachtree door and window products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

**300 Series Vinyl Clad Products**

<b>Product Line</b>	<b>Grills</b>	<b>Glazing Thickness</b>	<b>Glazing Option</b>	<b>U-Factor</b>	<b>SHGC</b>	<b>Tax Credit</b>
Awning	15/16" GIA	13/16"	Insul Low-e w/ Argon	0.27	0.25	Y
Awning	15/16" GIA	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.24	Y
Awning	15/16" GIA	13/16"	Insul Low-e 240 w/ Argon	0.28	0.16	Y
Awning	15/16" GIA	13/16"	Zo-e-shield 5	0.30	0.17	Y
Awning	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.27	0.17	Y
Awning	15/16" GIA	13/16"	Zo-e-shield 6	0.30	0.17	Y
Awning	15/16" GIA	13/16"	Zo-e-shield 6 w/ Argon	0.27	0.17	Y
Casement Picture	none	13/16"	Insul Low-e	0.30	0.30	Y
Casement Picture	none	13/16"	Insul Low-e w/ Argon	0.27	0.30	Y
Casement Picture	none	13/16"	Insul Bronze Low-e	0.30	0.29	Y
Casement Picture	none	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.29	Y
Casement Picture	none	13/16"	Insul Low-e 240 w/ Argon	0.27	0.19	Y
Casement Picture	none	13/16"	Zo-e-shield 5	0.30	0.20	Y
Casement Picture	none	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.20	Y
Casement Picture	none	13/16"	Zo-e-shield 6	0.30	0.20	Y
Casement Picture	none	13/16"	Zo-e-shield 6 w/ Argon	0.26	0.20	Y
Casement Picture	none	13/16"	Zo-e-shield 7	0.28	0.16	Y
Casement Picture	none	13/16"	Zo-e-shield 7 w/ Argon	0.23	0.16	Y
Casement Picture	Std GIA/SDL	13/16"	Insul Low-e	0.30	0.28	Y
Casement Picture	Std GIA/SDL	13/16"	Insul Low-e w/ Argon	0.27	0.27	Y
Casement Picture	Std GIA/SDL	13/16"	Insul Bronze Low-e	0.30	0.26	Y
Casement Picture	Std GIA/SDL	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.26	Y
Casement Picture	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.27	0.17	Y
Casement Picture	Std GIA/SDL	13/16"	Zo-e-shield 5	0.30	0.19	Y
Casement Picture	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.18	Y
Casement Picture	Std GIA/SDL	13/16"	Zo-e-shield 6	0.30	0.19	Y
Casement Picture	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.26	0.18	Y
Casement Picture	15/16" GIA	13/16"	Insul Low-e	0.30	0.25	Y
Casement Picture	15/16" GIA	13/16"	Insul Low-e w/ Argon	0.27	0.25	Y
Casement Picture	15/16" GIA	13/16"	Insul Bronze Low-e	0.30	0.24	Y
Casement Picture	15/16" GIA	13/16"	Insul Bronze Low-e w/ Argon	0.27	0.24	Y
Casement Picture	15/16" GIA	13/16"	Insul Low-e 240 w/ Argon	0.27	0.16	Y
Casement Picture	15/16" GIA	13/16"	Zo-e-shield 5	0.30	0.17	Y
Casement Picture	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.26	0.17	Y
Casement Picture	15/16" GIA	13/16"	Zo-e-shield 6	0.30	0.17	Y
Casement Picture	15/16" GIA	13/16"	Zo-e-shield 6 w/ Argon	0.26	0.17	Y



Peachtree Doors and Windows is a manufacturer of exterior windows, patio doors and entrance doors. This Manufacturer's Certification Statement serves as verification that the Peachtree door and window products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

**300 Series Vinyl Clad Doors**

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Sliding Patio Door	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.28	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.28	0.29	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.28	0.28	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.24	Y
Inswing Hinged Door	none	1"	Zo-e-shield 7	0.29	0.15	Y
Inswing Hinged Door	none	1"	Zo-e-shield 7 w/ Argon	0.26	0.14	Y
Inswing Hinged Door	Std GIA/SDL	1"	Zo-e-shield 7	0.29	0.13	Y
Inswing Hinged Door	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.27	0.13	Y
Inswing Hinged Door	15/16" GIA	1"	Zo-e-shield 7	0.29	0.11	Y
Inswing Hinged Door	15/16" GIA	1"	Zo-e-shield 7 w/ Argon	0.27	0.11	Y
Outswing Hinged Door	none	1"	Zo-e-shield 6 w/ Argon	0.30	0.16	Y
Outswing Hinged Door	none	1"	Zo-e-shield 7	0.28	0.15	Y
Outswing Hinged Door	none	1"	Zo-e-shield 7 w/ Argon	0.26	0.15	Y
Outswing Hinged Door	Std GIA/SDL	1"	Zo-e-shield 6 w/ Argon	0.30	0.14	Y
Outswing Hinged Door	Std GIA/SDL	1"	Zo-e-shield 7	0.29	0.13	Y
Outswing Hinged Door	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.26	0.13	Y
Outswing Hinged Door	15/16" GIA	1"	Zo-e-shield 6 w/ Argon	0.30	0.12	Y
Outswing Hinged Door	15/16" GIA	1"	Zo-e-shield 7	0.29	0.11	Y
Outswing Hinged Door	15/16" GIA	1"	Zo-e-shield 7 w/ Argon	0.26	0.11	Y

Terms and Conditions:

6/25/2009

Std GIA/SDL refers to 5/8" Grilles in the Airspace, 11/16" Grilles in the Airspace, and Simulated Divided Lite.

15/16" GIA refers to 15/16" Grilles in the Airspace.

All units are tested in accordance to National Fenestration Rating Council (NFRC) procedures. U-Factors are derived from computer simulations using WINDOW 5.2 and THERM 5.2 programs. Simulations are then verified by testing in accordance with NFRC 100-04.

The performance of windows and doors may be affected by factors beyond Peachtree's control, such as handling and installation, construction details of the building, exposure conditions, maintenance, normal wear and tear, migration of an inert gas from the insulated glass unit and the like. Ratings (for example, R or U-factors, infiltration tests, etc.) are for comparison purposes only. While Peachtree products are manufactured to meet or exceed published ratings, it is not possible to guarantee that they will meet or exceed those ratings after they have been installed, and this is specifically excluded from any warranty.

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.

*Emory Budzinski*

Emory Budzinski  
Senior Product Manager